

Work Order ID 119902

May-29-14 2:29:52 PM

119902

Page 1

Item ID: D205-634-041

Accept

N9000040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14 Start Qty: 1.00 *1*

Cust Item ID:

Required Date: 6/13/14 Req'd Qty: 1.00 *1*

Customer:

Reference:

Approvals: Process Plan: MLJ Date: 1405-30 Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2580-041	G								

100 | Document Control 0.00
100
 DC DOCUMENT CONTROL
 Memo 0.00
 Doc.Control -USB or Paperwork Photocopy D205-634 bluefile & type labels per PPP D205-634-041 CHG005

N/A MLJ 14-08-15

110 | BENDING MACHINE - SKIDTUBES 0.00
110
 CNC Bend 1 Memo 0.00
 CNC Delta 100 Bender 1-Bend as per program D2580.C on CNC Bender and Folio 16
 2-Cut tubes as per Dwg. D2580
 3- scribe batch# in aft end of tube

DGC 14-6-11

Work Order ID 119902

119902

Page 2

May-29-14 2:29:52 PM

Item ID: D205-634-041

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14 Start Qty: 1.00 *1*

Cust Item ID:

Required Date: 6/13/14 Req'd Qty: 1.00 *1*

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120		0.00							
120									
Skidtubes	Memo	0.00							
Skidtubes	1- Deburr ends and remove bending marks								
	2- Prepare tube for welding as per QSI 004								
130		0.00							
130									
QC	Memo	0.00							
Quality Control									

14-6-12/4/15

DAS
18
9-89

1 8 14-06-14

Work Order ID 119902

May-29-14 2:29:52 PM

119902

Page 4

Item ID: D205-634-041 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Replacement Skidtube Fits LH or RH
Start Date: 5/29/14 Start Qty: 1.00 *1* Cust Item ID:
Required Date: 6/13/14 Req'd Qty: 1.00 *1* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.00		DAS 27 9-89 4/6/18					
170 *170* HandFinish Hand Finishing	Pressure Wash per QSI005 4.3 Memo	0.00 0.00						1 26 47-15	
180 *180* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum Memo	0.00 0.00						1 26 47-15	
	START TIME: 7:45 OVEN TEMPERATURE: 320 FINISH TIME: 8:15								

Work Order ID 119902

May-29-14 2:29:52 PM

119902

Page 5

Item ID: D205-634-041

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Start Qty: 1.00

1

Cust Item ID:

Required Date: 6/13/14

Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run

Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

190

QC3- Inspect Part Finish

0.00

190

QC

Memo

0.00

Quality Control

1 0 765 1488

Work Order ID 119902

May-29-14 2:29:52 PM

119902

Page 6

Item ID: D205-634-041

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14 Start Qty: 1.00 *1*

Cust Item ID:

Required Date: 6/13/14 Req'd Qty: 1.00 *1*

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

200

0.00

2000

0.00

HandFinish

Hand Finishing

Memo

1-Install inserts & wearplates & Gaskets as per Dwg. D2580. Use a drop of Sikaflex on insert holes before installing wearplates
A/R Sikaflex-291 14129457
Sikaflex expire date: 14141

2-Coat D2594-3 O' rings with Petroleum Jelly and install on D2594-1 plugs as per Dwg D2580 RTU 598 14125797 exp 15/06

3-Inspect for foreign object per QSI 024

4-Install 2855 Aft Cap as per Dwg D2580 and seal Fwd Step & Aft Cap with Sikaflex. Clean excess adhesive
A/R Sikaflex-291 14129457
Sikaflex expire date: 1411

5-Wing Walk as per Dwg D2580 and QSI 005 4.4
Batch: 14129817

1 x d. H. 1408/09

Work Order ID 119902

May-29-14 2:29:52 PM

119902

Page 7

Item ID: D205-634-041

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Start Qty: 1.00

1

Cust Item ID:

Required Date: 6/13/14

Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run

Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

210

QC5- Inspect part completeness to step on W/O

0.00

16
9-89

210

QC

Memo

0.00

Quality Control

Inspect Aft Cap, Fwd Step and Wing Walk of work to Current Step Inspect for Foreign objects per QSI 024

220

Packaging

0.00

220

Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPPD205-634-041

Location:

PPP Rev:

DAS
06
9-89

AUG 13 2014

230

QC21- Final Inspection - Work Order Release

0.00

230

QC

Memo

0.00

Quality Control

MLJ 140815

MLJ 140814

Picklist Print

May-29-14 2:29:49 PM

Page 1

Work Order ID: 119902

119902

Parent Item: D205-634-041

D205-634-041

Parent Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Required Date: 6/13/14

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:N 02.08.28 FP was QC5 in Step 27; Added QC5 to Step 30
KJ IPP Rev P 10.02.19
per PAR09-043 EC verified by:DD
IPP Rev. O 06.02.28 Added paperwork EC
IPP Rev:P 07-07-09 SS Wearplates & Gaskets JLM IPP Rev:Q
10.12.01 as per chg003 DD verf:EC IPP REV:R 12.01.23 AS
PER ECN11-684 VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4202-1		Manufactured	No			140	Each	740.0000	20	20			

D4202-1

Spacer

Location	Loc Qty	Loc Code
LG	737	
113770	101	
117096	236	
118978	400	
LG001	3	
105931	3	

14-06-16 PLM / DGL

D2580-1

Manufactured No

110

Each

10.0000

1

1

D2580-1

205 Bent Tube

Location	Loc Qty	Loc Code
LG	10	
117898	6	
119306	4	

DGL 14-06-11

D2576-3

Manufactured No

140

Each

43.0000

1

1

D2576-3

Step (Machining Detail)

Location	Loc Qty	Loc Code
LG	43	
112978	43	

1

BB14-06-16

Picklist Print

May-29-14 2:29:50 PM

Page 2

Work Order ID: 119902

119902

Parent Item: D205-634-041

D205-634-041

Parent Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Required Date: 6/13/14

Start Qty: 1.00

Required Qty: 1.00

D2855 Manufactured No 200 Each 31.0000 1 1

D2855

Cap

**

11/08/08

Location

Loc Qty

Loc Code

FP001

29

B117602

105248

6

X1

111897

23

ST019

2

10360

2

AN3-5A

Purchased

No

200

Each

320.0000

2

2

AN3-5A

Bolt

**

11/08/08

Location

Loc Qty

Loc Code

GA

45

117423

45

ST511

185

m126559

92

m129246

93

ST512

90

124561

90

X2

NAS1149D0332J

Purchased

No

200

Each

3,508.000

2

2

NAS1149D0332.J

Washer

**

11/08/08

Location

Loc Qty

Loc Code

ST294

423

m128606

423

X7

ST510a

3085

m128612

3085

May-29-14 2:29:50 PM

Shop Packet Print

Page 2

Picklist Print

May-29-14 2:29:50 PM

Page 3

Work Order ID: 119902

119902

Parent Item: D205-634-041

D205-634-041

Parent Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Required Date: 6/13/14

Start Qty: 1.00

Required Qty: 1.00

ALS7-1032-130

AELS8-1032-130 Purchased

No

200

Each

9,500.000

50

50

A1 S7-1032-130

*ALS4-1032-130

**

21 1108108

Rivnut

Location

Loc Qty

Loc Code

FG

100

121444

100

ST553

9400

M128649

9400

150

AN3C4A

Purchased

No

200

Each

2,950.000

50

50

AN3C4A

**

21 1108108

Bolt

Location

Loc Qty

Loc Code

FG

20

122814

20

Return2014

9

124221

9

ST350

13

125388

3

M128606

6

M128739

4

ST350/513

26

M128606

26

ST512

3

124221

3

ST513

2879

M127410

1

M127832

62

M128634

816

M128879

2000

M129520

150

May-29-14 2:29:51 PM

Shop Packet Print

Page 3

Picklist Print

May-29-14 2:29:51 PM

Page 4

Work Order ID: 119902

119902

Parent Item: D205-634-041

D205-634-041

Parent Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Required Date: 6/13/14

Start Qty: 1.00

Required Qty: 1.00

NAS1149C0332R

Purchased

No

200

Each

5,750.000

50

50

NAS1149C0332R

WASHER

**

JP 140808

Location

Loc Qty

Loc Code

GA

825

125654

825

11129909

150

Return2014

41

122063

41

ST292

1726

124580

8

125654

8

m128591

1710

st510

3158

m126319

61

m127306

2500

m127410

563

m127831

34

D3566-13

Manufactured

No

200

Each

19.0000

1

1

D3566-13

Gasket Fwd

**

JP 140808

Location

Loc Qty

Loc Code

FG

4

89050

4

B119343

41

FP001

15

114917

3

116747

12

May-29-14 2:29:51 PM

Shop Packet Print

Page 4

Picklist Print

May-29-14 2:29:51 PM

Page 5

Work Order ID: 119902

119902

Parent Item: D205-634-041

D205-634-041

Parent Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Required Date: 6/13/14

Start Qty: 1.00

Required Qty: 1.00

D3566-5

Manufactured No

200

Each

30.0000

1

1

D3566-5

Gasket Center Aft

**

ul uloslog

Location

Loc Qty

Loc Code

FG

4

89219

2

94119

2

FP001

25

109492

1

116946

12

118931

12

ST

1

116649

1

D3566-1

Manufactured No

200

Each

29.0000

2

2

D3566-1

Gasket Fwd & Aft

**

ul uloslog

Location

Loc Qty

Loc Code

FG

14

100410

4

117012

4

89051

2

96430

2

98981

2

FP001

15

109785

1

117012

1

118946

13

May-29-14 2:29:51 PM

Shop Packet Print

Page 5

Picklist Print

May-29-14 2:29:51 PM

Page 6

Work Order ID: 119902

119902

Parent Item: D205-634-041

D205-634-041

Parent Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Required Date: 6/13/14

Start Qty: 1.00

Required Qty: 1.00

D3564-11

Manufactured No

200

Each

9.0000

1

1

D3564-11

Stainless Steel Wearplate Aft

all 10/08/09

Location

Loc Qty

Loc Code

FG

6

B120675

77056

4

xl

85473

2

FP001

3

115694

3

D3564-13

Manufactured No

200

Each

31.0000

1

1

D3564-13

Stainless Steel Wearpad Fwd

all 10/08/09

Location

Loc Qty

Loc Code

FG

2

B119588

89044

2

xl

FP001

5

114335

5

FP002

24

117119

12

118990

12

D3564-9

Manufactured No

200

Each

10.0000

1

1

D3564-9

Stainless Steel Wearplate Fwd

all 10/08/09

Location

Loc Qty

Loc Code

FG

6

B120930

76950

4

xl

88407

2

FP001

4

115774

1

117036

3

May-29-14 2:29:51 PM

Shop Packet Print

Page 6

Picklist Print

Page 7

May-29-14 2:29:51 PM

Work Order ID: 119902

119902

Parent Item: D205-634-041

D205-634-041

Parent Item Name: Replacement Skidtube Fits LH or RH

Start Date: 5/29/14

Required Date: 6/13/14

Start Qty: 1.00

Required Qty: 1.00

D3564-5

Manufactured No

200

Each

26.0000

1

1

D3564-5

Stainless Steel Wearplate Center Aft

**

u/u log log

Location

Loc Qty

Loc Code

FG

3

B120182

34806

1

89048

2

FP001

10

115655

10

FP002

13

116815

13

D2594-3

Manufactured No

200

Each

1,065.000

16

16

D2594-3

O-Ring

**

u/u log log

Location

Loc Qty

Loc Code

FP001

1065

108402

156

110671

2

112234

3

113590

404

117822

500

D2594-1

Manufactured No

200

Each

318.0000

16

16

D2594-1

Plug

**

u/u log log

Location

Loc Qty

Loc Code

FP001

301

112516

60

112727

32

115139

209

FP002

17

106252

17

May-29-14 2:29:52 PM

Shop Packet Print

Page 7

LIST OF MATERIALS						PART NUMBER	DESCRIPTION
ITEM	QTY -041	QTY -045	QTY -047	QTY -049			
1	X					D2580-041	SKIDTUBE ASSEMBLY
2		X				D2580-045	SKIDTUBE ASSEMBLY
3			X			D2580-047	SKIDTUBE ASSEMBLY
4				X		D2580-049	SKIDTUBE ASSEMBLY
20	1	1	1	1		D2500-1-190	EXTRUSION
21			16	16		D2570	BUSHING
22	1	1	1	1		D2576-3	STEP
23		4				D2579	SPACER
24	16	16	8	8		D2594-1	PLUG
25	16	16	8	8		D2594-3	O-RING
26	1	1	1	1		D2596	205 WEB
27	1	1	1	1		D2855	AFT CAP
28	1	1				D3564-5	WEARSHOE
29	1	1				D3564-9	WEARSHOE
30	1	1				D3564-11	WEARSHOE
31	1	1				D3564-13	WEARSHOE
32	2	2				D3566-1	GASKET
33	1	1				D3566-5	GASKET
34	1	1				D3566-13	GASKET
35	20	20	24	24		D4202-1	SPACER
36			1			D4406-041	WEARPLATE ASSEMBLY
37			1			D4406-043	WEARPLATE ASSEMBLY
37				1		D5061-1	FWD WEARPLATE
37				1		D5061-3	AFT WEARPLATE
50	50	50				ALS7-1032-130 or AKS7-1032-130 or AKS4-1032-130 or AELS-1032-130	INSERT
51	50	50				AN3C4A	BOLT
52	2	2	2	2		AN3-5A	BOLT
53			8	8		AN4-45A	BOLT
54	50	50				NAS1149C0332R	WASHER (AN960C10L)
55	2	2	2	2		NAS1149D0332J	WASHER (AN960JD10L)
56			8	8		MS21042-4	NUT (OR MS21042L4)


GENERAL NOTES:

- MATERIAL: N/A
- FINISH: CHEMICAL CONVERSION PER DART QSI 005 4.1 PRIOR TO INSERTING D2596 WEB POWDER COAT ASSEMBLY (-041/-047/-049) GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3 POWDER COAT ASSEMBLY (-045) GREEN SANDTEX (REF 4.3.5.8) PER DART QSI 005 4.3 BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4.
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- UNITS: INCHES UNLESS OTHERWISE NOTED.
- BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- IDENTIFICATION: NONE
- WEIGHT: D2580-041 = 34.5 lbs
D2580-045 = 34.5 lbs
D2580-047 = 45.1 lbs
D2580-049 = 32.0 lbs
- WELDING PER DART QSI 004.
- INSERT D2596 WEB TO LOCATION SHOWN OFF AFT END OF SKIDTUBE AND BOND WEB INTO OUTER TUBE WITH NON-STRUCTURAL SIKAFLEX-241 ADHESIVE PER DART QSI 015 BEFORE BENDING. ENSURE HOLES LINE-UP.
- BEND AS A SMOOTH RADIUS STARTING WITH A MAXIMUM CENTERLINE RADIUS OF 60 AND ENDING WITH A MINIMUM RADIUS OF 30. A MAXIMUM REDUCTION OF 0.200 IN DIAMETER IS ALLOWABLE IN THE BENT PORTION OF THE TUBE.
- USE DART DRILL TEMPLATE DT8217 & DT8937 ONLY FOR D2580-041/-045 TO LOCATE AND DRILL Ø0.297 HOLES FOR WEARSHOE INSERTS. INSTALL ALS7-1032-130 PER SECTIONS B-B AND F-F (50 PLACES) AFTER FINISH. INSTALL AN3C4A BOLTS AND NAS1149C0332R WASHERS WITH SIKAFLEX-241/291.
- INSERT D2594-1 PLUG C/W D2594-3 O-RING IN HOLES MARKED 'P' (BOTH SIDES OF TUBE) AFTER FINISH (16 PLACES FOR D2580-041/-045 AND 8 PLACES FOR D2580-047/-049)
- IT IS ACCEPTABLE TO GRIND A RELIEF IN THE D2855 AFT CAP TO PREVENT INTERFERENCE WITH THE SPACER AT THIS LOCATION

RELEASED
2014-04-29

G	ADDED -049, -047 WEIGHT UPDATED PER DSI 9598	AJS	14.04.09
F	INCORPORATE DEO D2580-E-1 PER PAR12-218	DC	13.06.20
E	ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DEO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; DT8217 & DT8937 WAS TD2577-205 (ZN C4-1)	RF	11.06.21
D	CHANGE TO SS WEARPLATES AND GASKETS, INCLUDE DEO 9124/ 9183	PH	07.04.05
C	REDRAWN, INCLUDED DEO 9094/ 9097	CP	98.08.26
B	AS MANUFACTURED	DS	96.12.02
A	NEW ISSUE	DS	96.09.16
REV.	DESCRIPTION	BY	DATE
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	A.P.	DRAWING NO.	REV. G
MFG. APPR.	NS	D2580	SHEET 1 OF 9
APPROVED	MS	TITLE	SCALE
DE APPR.	MS	205 SKIDTUBE ASSEMBLY	NTS
DATE	14.04.09	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


119902ML5
140530




D2580-041 ASSEMBLY DETAIL

RELEASED
2014-04-28

DETAIL A C7-2
SCALE 5X




SECTION B-B D5-2
SCALE 5X




AFTER DRILLING AND BENDING ASSEMBLY
PERFORM THE FOLLOWING FOR Ø0.508 HOLES ONLY:
1. INSERT D4202-1 SPACER (20 PLACES)
2. SWAGE TO Ø0.437 X 1.00 DEEP PER QSI 002
3. TRIM / GRIND FLUSH PER QSI 002

DETAIL C D3-2
SCALE 5X




DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AP	DRAWING NO.	REV. G
MFG. APPR.	AP	D2580	SHEET 2 OF 9
APPROVED	AP	TITLE	SCALE
DE APPR.	AP	205 SKIDTUBE ASSEMBLY	NTS
DATE	14.04.09	COPYRIGHT © 1996 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



D2580-1 BENT TUBE
(MAKE FROM D2580-101 TUBE)


RELEASED
2014-04-29

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	A.P.	DRAWING NO.	REV. G
MFG. APPR.	M	D2580	SHEET 3 OF 9
APPROVED	M	TITLE	SCALE
DE APPR.	M	205 SKIDTUBE ASSEMBLY	NTS
DATE	14.04.09	<small>COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D2580-045 ASSEMBLY DETAIL

SECTION K-K D5-4
SCALE 5X




AFTER DRILLING AND BENDING ASSEMBLY
PERFORM THE FOLLOWING FOR Ø0.508 HOLES ONLY:
1. CHAMFER HOLE 0.050 X 45°
2. INSERT D2579 SPACER (4 PLACES)
3. WELD INTO PLACE AND GRIND FLUSH
4. DO NOT C'BORE

DETAIL E D7-4
SCALE 5X




SECTION F-F D5-4
SCALE 5X




AFTER DRILLING AND BENDING ASSEMBLY
PERFORM THE FOLLOWING FOR Ø0.508 HOLES ONLY:
1. INSERT D4202-1 SPACER (20 PLACES)
2. SWAGE TO Ø0.437 X 1.00 DEEP PER QSI 002
3. TRIM/GRIND FLUSH PER QSI 002

DETAIL G D3-4
SCALE 5X



DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AJS	DRAWING NO.	REV. G
MFG. APPR.		D2580	SHEET 4 OF 9
APPROVED		TITLE	SCALE
DE APPR.		205 SKIDTUBE ASSEMBLY	NTS
DATE	14.04.09	<small>COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


RELEASED
2014-04-29



D2580-5 BENT TUBE
(MAKE FROM D2580-101 TUBE)

RELEASED
2014-04-29
Net


DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>A.P.</i>	DRAWING NO.	REV. G
MFG. APPR.	<i>[Signature]</i>	D2580	SHEET 5 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	205 SKIDTUBE ASSEMBLY	NTS
DATE	14.04.09	<small>COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D2580-047 ASSEMBLY DETAIL

RELEASED
2014-04-29

DETAIL H
SCALE 5X




SECTION I-I
SCALE 5X




AFTER DRILLING AND BENDING ASSEMBLY
PERFORM THE FOLLOWING FOR Ø0.508 HOLES ONLY:
1. INSERT D4202-1 SPACER (24 PLACES)
2. SWAGE TO Ø0.437 X 1.00 DEEP PER QSI 002
3. TRIM/GRIND FLUSH PER QSI 002

DETAIL J
SCALE 5X




DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	A.P.	DRAWING NO.	REV. G
MFG. APPR.		D2580	SHEET 6 OF 8
APPROVED		TITLE	SCALE
DE APPR.		205 SKIDTUBE ASSEMBLY	NTS
DATE	14.04.09	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D2580-7 BENT TUBE
(MAKE FROM D2580-101 TUBE)

RELEASED
2014-04-28
WJ

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	A.P.	DRAWING NO.	REV. G
MFG. APPR.	[Signature]	D2580	SHEET 8 OF 9
APPROVED	[Signature]	TITLE	SCALE
DE APPR.	[Signature]	205 SKIDTUBE ASSEMBLY	NTS
DATE	14.04.09	<small>COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D2580-101 TUBE



DETAIL D
SCALE 5X

RELEASED
2014-04-29
WHD

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>A.P.</i>	DRAWING NO.	REV. G
MFG. APPR.	<i>A</i>	D2580	SHEET 9 OF 9
APPROVED	<i>WHD</i>	TITLE	SCALE
DE APPR.	<i>WHD</i>	205 SKIDTUBE ASSEMBLY	NTS
DATE	14.04.09	<small>COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

le

PAR 14 338

~~PAR 14 338~~ (1)

Patrick Smith
May-29-14 1:29 PM
Linda Lacelle; Mike Petsche
Nigel Forbes; Eric Downing; Nancy MacLeod; David Shepherd
RE: 350 skids and 206 skids

David and he would allow us to use a RTV product to bond the Plugs into the Skidtube.

Plugs would require:
oval from the Skidtube
oval of the current O-Ring
ning with Alcohol
allation of NEW O-Ring
erous coating of the RTV
rtion of plug into the Spacer
in up of exterior of Skidtube.

a Lacelle
29-14 10:21 AM
tsche
rbes; Patrick Smith; Eric Downing; Nancy MacLeod
50 skids and 206 skids
e: High

terday that plugs were falling out. Today we were told that we cannot ship any 350 skids. We have an order to ship today, has there been a solution
c this problem? Can we not just sikaflex them in or something? We need to let the customer know if his order is shipping or not...

[Handwritten signature]